

FLUSH MOUNT CEILING LIGHTS

Bonnie

Scalloped parasol fabric flush-mount light

A parasol of scalloped fabric edged in hand-stitched piping, finished with walnut, that softens the ceiling.



SPECIFICATIONS

PRODUCT TYPE	Flush Mount Ceiling Lights
WIDTH	Ø 19.6 in / 50 cm
HEIGHT	12.9 in / 33 cm
MATERIALS & FINISH	Scalloped fabric shade with contrast piping, walnut wood canopy and finial
LIGHT SOURCE	3 × E26 sockets, max 40W each (bulbs not included)
COLOR TEMPERATURE	Warm 2700–3000K recommended
DIMMING	Dimmer compatible (switch not included)
INSTALLATION	Hardwired ceiling mount, damp rated; licensed electrician recommended
RATING	damp rated


Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

KEY FEATURES

- **Scalloped fabric shade.** a parasol shape with contrast piping on every edge
- **Three lights.** three E26 sockets for full, even coverage
- **Dimmer compatible.** with a compatible dimmer switch (not included)
- **Walnut details.** a wood canopy and turned ball finial
- **Damp rated.** suits bathrooms and covered outdoor areas
- **Sockets.** 3 × E26, max 40W each (bulbs not included)

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES

SIZE	WIDTH	HEIGHT
Standard	$\varnothing 19.6\text{ in} / 50\text{ cm}$	$12.9\text{ in} / 33\text{ cm}$

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo

FIXTURE
Bonnie · Flush Mount Ceiling Lights

DRAWING NO.
TX-CL-93024-D1

VIEW
Front elevation

SCALE
Not to scale

UNITS
in / cm

ISSUED
13 Oct 2026

REVISION
A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Bonnie currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

CONFIGURATION	CATALOGUE NO.
Standard	TX-CL-93024-01

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

Covered by the Tiixo limited warranty. Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

For your electrician

ELECTRICAL

LIGHT SOURCE	3 × E26 sockets, max 40W each (bulbs not included)
COLOR TEMPERATURE	Warm 2700–3000K recommended
DIMMING	Dimmer compatible (switch not included)
RATING	damp rated
INSTALLATION	Hardwired ceiling mount, damp rated; licensed electrician recommended

WIRING (GENERAL GUIDANCE)

FIXTURE WIRE	CONNECT TO
● Black (or ribbed)	Line / hot
○ White (or smooth)	Neutral
● Green / bare copper	Ground

1. Turn power off at the breaker and confirm it is off with a non-contact tester.
2. Fix the mounting bracket to a ceiling junction box rated for the fixture's weight, using the hardware supplied.
3. Make the connections above with approved connectors and fold the wires neatly into the box.
4. Fit the canopy, install bulbs within the rated wattage, restore power and test.

BEFORE YOU INSTALL

- ☐ A ceiling junction box rated for the fixture's weight
- ☐ Supply voltage confirmed for your region
- ☐ Ceiling height measured, so the fixture clears walkways
- ☐ A dimmer, if used, rated for the light source
- ☐ A second person or a stable ladder for lifting the fixture
- ☐ Power off at the breaker before any work begins

PLACEMENT GUIDELINES

ROOM SIZE
Add the room's length and width in feet; that number in inches is a good fixture diameter.

CLEARANCE
Keep at least 84 in (7 ft / 213 cm) from the floor to the bottom of the fixture in walkways.

OVER A TABLE
Choose a fixture about one-half to two-thirds of the table width; a flush or semi-flush mount suits ceilings under 8–9 ft.

Safety. Turn off power at the breaker before installing. Installation must follow local electrical codes (the NEC in the US). We recommend a licensed electrician for every hardwired fixture. Never exceed the rated wattage.

Questions before or during install?
Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.