

CEILING LIGHTS

Colette

Pierced-porcelain ceiling light

A pierced porcelain shade that throws lace-like shadows across the ceiling when it is lit.



SPECIFICATIONS

PRODUCT TYPE	Ceiling Lights
WIDTH	Ø 8.7 in / 22 cm
HEIGHT	8.7 in / 22 cm
MATERIALS & FINISH	Antique-brass frame with a hand-pierced white porcelain shade
LIGHT SOURCE	E26/E27 socket, up to 40W, LED recommended (bulb not included)
COLOR TEMPERATURE	Warm white recommended
INSTALLATION	Hardwired ceiling mount (licensed electrician recommended); adjustable butterfly screw
WARRANTY	1-year limited warranty
IN THE BOX	Ships boxed with mounting hardware
SHADE	Hand-pierced white porcelain
BULB	E26/E27 socket, max 40W, LED recommended (not included)
VOLTAGE	AC 110-240V
USE	Indoor dry locations only


Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

KEY FEATURES

- **Pierced-porcelain shade.** hand-carved motifs scatter a warm, lace-like pattern of light
- **Adjustable head.** a brass butterfly screw angles the light exactly where you want it
- **Hand-finished ceramic.** slight glaze and tone variations are natural to each piece
- **Antique-brass frame.** a brushed, oxidation-treated finish with a scrolling vintage arm
- **Compact semi-flush form.** a low 22 cm profile suits tight or lower ceilings
- **Frame.** Antique brass

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES

SIZE	WIDTH	HEIGHT
Standard	Ø 8.7 in / 22 cm	8.7 in / 22 cm

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo	
FIXTURE Colette · Ceiling Lights	
DRAWING NO. TX-CL-09120-D1	VIEW Front elevation
SCALE Not to scale	UNITS in / cm
ISSUED 7 Oct 2026	REVISION A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Colette currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

CONFIGURATION	CATALOGUE NO.
Standard	TX-CL-09120-01

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

1-year limited warranty Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

PACKAGING

Ships boxed with mounting hardware

For your electrician

ELECTRICAL

SUPPLY VOLTAGE	AC 110-240V
LIGHT SOURCE	E26/E27 socket, up to 40W, LED recommended (bulb not included)
COLOR TEMPERATURE	Warm white recommended
INSTALLATION	Hardwired ceiling mount (licensed electrician recommended); adjustable butterfly screw

WIRING (GENERAL GUIDANCE)

FIXTURE WIRE	CONNECT TO
● Black (or ribbed)	Line / hot
○ White (or smooth)	Neutral
● Green / bare copper	Ground

1. Turn power off at the breaker and confirm it is off with a non-contact tester.
2. Fix the mounting bracket to a ceiling junction box rated for the fixture's weight, using the hardware supplied.
3. Make the connections above with approved connectors and fold the wires neatly into the box.
4. Fit the canopy, install bulbs within the rated wattage, restore power and test.

BEFORE YOU INSTALL

- ☐ A ceiling junction box rated for the fixture's weight
- ☐ Supply voltage confirmed for your region
- ☐ Ceiling height measured, so the fixture clears walkways
- ☐ A dimmer, if used, rated for the light source
- ☐ A second person or a stable ladder for lifting the fixture
- ☐ Power off at the breaker before any work begins

PLACEMENT GUIDELINES

ROOM SIZE
Add the room's length and width in feet; that number in inches is a good fixture diameter.

CLEARANCE
Keep at least 84 in (7 ft / 213 cm) from the floor to the bottom of the fixture in walkways.

OVER A TABLE
Choose a fixture about one-half to two-thirds of the table width; a flush or semi-flush mount suits ceilings under 8-9 ft.

Safety. Turn off power at the breaker before installing. Installation must follow local electrical codes (the NEC in the US). We recommend a licensed electrician for every hardwired fixture. Never exceed the rated wattage.

Questions before or during install?
Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.