

PATHWAY LIGHTS

Frey



SPECIFICATIONS

PRODUCT TYPE	Pathway Lights
HEIGHT	39, 59, 78 · 98 in options
LIGHT SOURCE	Warm LED
WEATHER RATING	Outdoor-rated
LIGHTING EFFECT	Warm outdoor LED illumination for paths, patios, gardens, and entry areas

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS


SIZE	PACK SIZE
39 "H, 59 "H, 78 "H, 98 "H	Single, 2-Pack, 4-Pack, 6-Pack, 8-Pack

KEY FEATURES

- **Design.** Modern rectangular LED column pole light with a sleek ash black finish
- **Outdoor Style.** Minimalist profile that complements modern homes, villas, courtyards, and commercial exteriors
- **Pack Sizes.** Single, 2-pack, 4-pack, 6-pack, and 8-pack options for coordinated installations
- **Ideal For.** Walkways, driveways, garden borders, hotel entrances, patios, terraces, and landscape accent lighting

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES

SIZE	HEIGHT
Option 1	39, 59, 78
Option 2	98 in options

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixο	
FIXTURE Frey · Pathway Lights	
DRAWING NO. TX-OL-34944-D1	VIEW Front elevation
SCALE Not to scale	UNITS in / cm
ISSUED 7 Oct 2026	REVISION A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Frey currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

SIZE	PACK SIZE	CATALOGUE NO.
39 "H	Single	TX-0L-34944-01
59 "H	Single	TX-0L-34944-02
78 "H	Single	TX-0L-34944-03
39 "H	2-Pack	TX-0L-34944-04
59 "H	2-Pack	TX-0L-34944-05
78 "H	2-Pack	TX-0L-34944-06
39 "H	4-Pack	TX-0L-34944-07
59 "H	4-Pack	TX-0L-34944-08
78 "H	4-Pack	TX-0L-34944-09
98 "H	4-Pack	TX-0L-34944-10
39 "H	6-Pack	TX-0L-34944-11
59 "H	6-Pack	TX-0L-34944-12
78 "H	6-Pack	TX-0L-34944-13
98 "H	6-Pack	TX-0L-34944-14
39 "H	8-Pack	TX-0L-34944-15
59 "H	8-Pack	TX-0L-34944-16
78 "H	8-Pack	TX-0L-34944-17
98 "H	8-Pack	TX-0L-34944-18

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

Covered by the Tiixo limited warranty. Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

Installation

ELECTRICAL

LIGHT SOURCE	Warm LED
RATING	Outdoor-rated

POWER

Power connection varies by configuration. Confirm the supply type with us before installing, and use a GFCI-protected outdoor circuit or outlet for any mains connection.

BEFORE YOU INSTALL

- ☐ Power supply type confirmed with Tiixo
- ☐ GFCI protection for outdoor mains connections
- ☐ Connections kept off the ground and out of standing water

PLACEMENT GUIDELINES

SPACING

Space path lights every 6–8 ft (1.8–2.4 m), staggered on both sides for a natural rhythm.

SETBACK

Set them 6–12 in (15–30 cm) back from the edge of the path or bed.

AIMING

Aim spotlights from the ground up into foliage or walls, away from neighbours' windows.

Safety. Use only outdoor-rated connections. If any hardwiring is required, have it done by a licensed electrician following local codes.

Questions before or during install?

Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.