

CHANDELIERS

Ginevra

Porcelain ginkgo leaf branch chandelier

Hundreds of hand-formed porcelain ginkgo leaves on flexible branches, a light sculpture that glows like sunlit foliage.



SPECIFICATIONS

PRODUCT TYPE	Chandeliers
WIDTH	L 39.3 in / 100 cm (39.3 in) · L 23.6 in / 60 cm (23.6 in) · L 31.5 in / 80 cm (31.5 in) · L 47.2 in / 120 cm (47.2 in) · L 59 in / 150 cm (59 in) · L 70.9 in / 180 cm...
HEIGHT	17.7 in / 45 cm (39.3 in) · 13.8 in / 35 cm (23.6 in) · 15.7 in / 40 cm (31.5 in) · 19.7 in / 50 cm (47.2 in) · 23.6 in / 60 cm (59 in) · 23.6 in / 60 cm (70.9 in) · ...
MATERIALS & FINISH	Metal and iron branches with hand-formed porcelain ginkgo leaves
LIGHT SOURCE	E12 bulbs (not included), count matched to size
VOLTAGE	AC 110–240V
INSTALLATION	Hardwired ceiling mount on adjustable cables; licensed electrician recommended
WEIGHT	11 lb to 46.3 lb by size
HANGING	cables adjustable up to 59 in / 150 cm

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS


SIZE	FINISH
7 options, listed under Ordering information	Gold, Nickel, Black, White

KEY FEATURES

- **Handcrafted porcelain leaves.** each ginkgo leaf is individually formed, so no two chandeliers are identical
- **Seven lengths.** from 23.6 in to a grand 78.7 in
- **Adjustable drop.** hangs on cables adjustable up to 59 in
- **Flexible branches.** fan the outer branches out to shape the spread
- **Four finishes.** gold, nickel, black or white branches with white leaves
- **Bulbs.** E12 base for US/CA, LED or Edison (not included); bulb count matched to the size

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES

SIZE	WIDTH	HEIGHT
L 39.3 in	L 39.3 in / 100 cm (39.3 in)	17.7 in / 45 cm (39.3 in)
L 23.6 in	L 23.6 in / 60 cm (23.6 in)	13.8 in / 35 cm (23.6 in)
L 31.5 in	L 31.5 in / 80 cm (31.5 in)	15.7 in / 40 cm (31.5 in)
L 47.2 in	L 47.2 in / 120 cm (47.2 in)	19.7 in / 50 cm (47.2 in)
L 59 in	L 59 in / 150 cm (59 in)	23.6 in / 60 cm (59 in)
L 70.9 in	L 70.9 in / 180 cm (70.9 in)	23.6 in / 60 cm (70.9 in)
L 78.7 in	L 78.7 in / 200 cm (78.7 in)	25.6 in / 65 cm (78.7 in)

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo

FIXTURE
Ginevra · Chandeliers

DRAWING NO.
TX-CH-44576-D1

VIEW
Front elevation

SCALE
Not to scale

UNITS
in / cm

ISSUED
13 Oct 2026

REVISION
A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Ginevra currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

SIZE	FINISH	CATALOGUE NO.
L 39.3 in	Gold	TX-CH-44576-01
L 39.3 in	Nickel	TX-CH-44576-02
L 39.3 in	Black	TX-CH-44576-03
L 39.3 in	White	TX-CH-44576-04
L 23.6 in	Gold	TX-CH-44576-05
L 23.6 in	Nickel	TX-CH-44576-06
L 23.6 in	Black	TX-CH-44576-07
L 23.6 in	White	TX-CH-44576-08
L 31.5 in	Gold	TX-CH-44576-09
L 31.5 in	Nickel	TX-CH-44576-10
L 31.5 in	Black	TX-CH-44576-11
L 31.5 in	White	TX-CH-44576-12
L 47.2 in	Gold	TX-CH-44576-13
L 47.2 in	Nickel	TX-CH-44576-14
L 47.2 in	Black	TX-CH-44576-15
L 47.2 in	White	TX-CH-44576-16
L 59 in	Gold	TX-CH-44576-17
L 59 in	Nickel	TX-CH-44576-18
L 59 in	Black	TX-CH-44576-19
L 59 in	White	TX-CH-44576-20
L 70.9 in	Gold	TX-CH-44576-21
L 70.9 in	Nickel	TX-CH-44576-22
L 70.9 in	Black	TX-CH-44576-23
L 70.9 in	White	TX-CH-44576-24
L 78.7 in	Gold	TX-CH-44576-25
L 78.7 in	Nickel	TX-CH-44576-26
L 78.7 in	Black	TX-CH-44576-27
L 78.7 in	White	TX-CH-44576-28

For your electrician

ELECTRICAL

SUPPLY VOLTAGE	AC 110–240V
LIGHT SOURCE	E12 bulbs (not included), count matched to size
INSTALLATION	Hardwired ceiling mount on adjustable cables; licensed electrician recommended

WIRING (GENERAL GUIDANCE)

FIXTURE WIRE	CONNECT TO
● Black (or ribbed)	Line / hot
○ White (or smooth)	Neutral
● Green / bare copper	Ground

1. Turn power off at the breaker and confirm it is off with a non-contact tester.
2. Fix the mounting bracket to a ceiling junction box rated for the fixture's weight, using the hardware supplied.
3. Make the connections above with approved connectors and fold the wires neatly into the box.
4. Fit the canopy, install bulbs within the rated wattage, restore power and test.

BEFORE YOU INSTALL

- ☐ A ceiling junction box rated for the fixture's weight
- ☐ Supply voltage confirmed for your region
- ☐ Ceiling height measured, so the fixture clears walkways
- ☐ A dimmer, if used, rated for the light source
- ☐ A second person or a stable ladder for lifting the fixture
- ☐ Power off at the breaker before any work begins

PLACEMENT GUIDELINES

OVER A TABLE

Hang the bottom of the fixture 30–36 in (76–91 cm) above the tabletop; choose a width about one-half to two-thirds of the table.

OVER AN ISLAND

Space multiple pendants 24–30 in (61–76 cm) apart, 30–36 in above the counter.

OPEN AREAS

In halls and living spaces keep at least 84 in (7 ft / 213 cm) clear underneath; add about 3 in of drop per foot of ceiling above 8 ft.

Safety. Turn off power at the breaker before installing. Installation must follow local electrical codes (the NEC in the US). We recommend a licensed electrician for every hardwired fixture. Never exceed the rated wattage.

Questions before or during install?

Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.

Returns. 30 days from delivery, no restocking fee.