

SEMI FLUSH CEILING LIGHTS

Ivy

Vintage ribbed glass semi-flush ceiling light

A melon-shaped shade of ribbed green or white glass under an ornate brass canopy, glowing like an old-house heirloom.



SPECIFICATIONS

PRODUCT TYPE	Semi Flush Ceiling Lights
WIDTH	Ø 14.9 in / 38 cm (Standard) · Ø 14.9 in / 38 cm (Tall)
HEIGHT	16.5 in / 42 cm (Standard) · 20.4 in / 52 cm (Tall)
MATERIALS & FINISH	Metal fittings (gold or black) with a ribbed green or white glass shade
LIGHT SOURCE	E26 socket, max 40W, tubular T10/T30 bulb only (not included)
COLOR TEMPERATURE	Warm 2700–3000K recommended
DIMMING	Dimmer compatible (switch not included)
INSTALLATION	Hardwired ceiling mount, damp rated; licensed electrician recommended
RATING	damp rated

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS

HEIGHT

Standard · H 16.5 in, Tall · H 20.4 in

FINISH


Gold · Green glass, Gold · White glass, Black · Green glass, Black · White glass

KEY FEATURES

- **Ribbed glass shade.** a melon-shaped shade in jade green or opal white
- **Two drop heights.** 16.5 in standard or 20.4 in tall
- **Dimmer compatible.** with a compatible dimmer switch (not included)
- **Ornate canopy.** filigree-detailed fittings in gold or black
- **Damp rated.** suits bathrooms and covered outdoor areas
- **Socket.** E26, max 40W, tubular bulbs only (T10 or T30; standard A19 bulbs do not fit the 45 mm inner tube); bulb not included

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES

SIZE	WIDTH	HEIGHT
Standard	Ø 14.9 in / 38 cm	16.5 in / 42 cm
Tall	Ø 14.9 in / 38 cm	20.4 in / 52 cm

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixο

FIXTURE
Ivy · Semi Flush Ceiling Lights

DRAWING NO.
TX-CL-20832-D1

VIEW
Front elevation

SCALE
Not to scale

UNITS
in / cm

ISSUED
13 Oct 2026

REVISION
A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Ivy currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

HEIGHT	FINISH	CATALOGUE NO.
Standard · H 16.5 in	Gold · Green glass	TX-CL-20832-01
Standard · H 16.5 in	Gold · White glass	TX-CL-20832-02
Standard · H 16.5 in	Black · Green glass	TX-CL-20832-03
Standard · H 16.5 in	Black · White glass	TX-CL-20832-04
Tall · H 20.4 in	Gold · Green glass	TX-CL-20832-05
Tall · H 20.4 in	Gold · White glass	TX-CL-20832-06
Tall · H 20.4 in	Black · Green glass	TX-CL-20832-07
Tall · H 20.4 in	Black · White glass	TX-CL-20832-08

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

Covered by the Tiixo limited warranty. Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

For your electrician

ELECTRICAL

LIGHT SOURCE	E26 socket, max 40W, tubular T10/T30 bulb only (not included)
COLOR TEMPERATURE	Warm 2700–3000K recommended
DIMMING	Dimmer compatible (switch not included)
RATING	damp rated
INSTALLATION	Hardwired ceiling mount, damp rated; licensed electrician recommended

WIRING (GENERAL GUIDANCE)

FIXTURE WIRE	CONNECT TO
● Black (or ribbed)	Line / hot
○ White (or smooth)	Neutral
● Green / bare copper	Ground

1. Turn power off at the breaker and confirm it is off with a non-contact tester.
2. Fix the mounting bracket to a ceiling junction box rated for the fixture's weight, using the hardware supplied.
3. Make the connections above with approved connectors and fold the wires neatly into the box.
4. Fit the canopy, install bulbs within the rated wattage, restore power and test.

BEFORE YOU INSTALL

- ☐ A ceiling junction box rated for the fixture's weight
- ☐ Supply voltage confirmed for your region
- ☐ Ceiling height measured, so the fixture clears walkways
- ☐ A dimmer, if used, rated for the light source
- ☐ A second person or a stable ladder for lifting the fixture
- ☐ Power off at the breaker before any work begins

PLACEMENT GUIDELINES

ROOM SIZE
Add the room's length and width in feet; that number in inches is a good fixture diameter.

CLEARANCE
Keep at least 84 in (7 ft / 213 cm) from the floor to the bottom of the fixture in walkways.

OVER A TABLE
Choose a fixture about one-half to two-thirds of the table width; a flush or semi-flush mount suits ceilings under 8–9 ft.

Safety. Turn off power at the breaker before installing. Installation must follow local electrical codes (the NEC in the US). We recommend a licensed electrician for every hardwired fixture. Never exceed the rated wattage.

Questions before or during install?
Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.