

OUTDOOR LIGHTING

Joren



SPECIFICATIONS

PRODUCT TYPE	Outdoor Lighting
WIDTH	52 ft · 100 ft strand
LIGHT SOURCE	Replaceable Edison bulbs
DIMMING	Yes, fully dimmable
WEATHER RATING	Waterproof, shatterproof bulbs

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS


LENGTH
100 ft, 52 ft

KEY FEATURES

- **Set the mood exactly right.** fully dimmable from bright dinner light to a soft evening glow
- **Cover any space.** connect multiple strands across patios, pergolas, and event venues
- **Leave them up year-round.** waterproof build made for real outdoor conditions
- **Easy to maintain.** bulbs are replaceable, so one burnout never sidelines the whole strand

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES

SIZE	WIDTH
100 ft	52 ft
52 ft	100 ft strand

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo

FIXTURE
Joren · Outdoor Lighting

DRAWING NO.
TX-OL-56992-D1

VIEW
Front elevation

SCALE
Not to scale

UNITS
in / cm

ISSUED
7 Oct 2026

REVISION
A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Joren currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

LENGTH	CATALOGUE NO.
100 ft	TX-OL-56992-01
52 ft	TX-OL-56992-02

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

Covered by the Tiixo limited warranty. Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

Installation

ELECTRICAL

LIGHT SOURCE	Replaceable Edison bulbs
DIMMING	Yes, fully dimmable
RATING	Waterproof, shatterproof bulbs

POWER

Power connection varies by configuration. Confirm the supply type with us before installing, and use a GFCI-protected outdoor circuit or outlet for any mains connection.

BEFORE YOU INSTALL

- ☐ Power supply type confirmed with Tiixo
- ☐ GFCI protection for outdoor mains connections
- ☐ Connections kept off the ground and out of standing water

PLACEMENT GUIDELINES

- PLACEMENT**
Choose a location sheltered or rated for the listed weather exposure.
- SPACING**
For even outdoor lighting, space fixtures every 6–10 ft (1.8–3 m).
- WEATHER**
Follow the IP rating listed above; keep connectors and cables protected.

Safety. Use only outdoor-rated connections. If any hardwiring is required, have it done by a licensed electrician following local codes.

Questions before or during install?
Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.