

OUTDOOR LIGHTING

Kesler

Rustic Roman hanging outdoor lantern

Old-world bronze and seeded glass with a warm, storybook glow



SPECIFICATIONS

PRODUCT TYPE	Outdoor Lighting
HEIGHT	Approx. 20 in tall (size M)
MATERIALS & FINISH	Oil-rubbed bronze & seeded water glass
LIGHT SOURCE	Integrated waterproof warm-white LED
WEATHER RATING	Outdoor / wet-location rated, waterproof
MOUNTING	chain hung, adjustable drop
RATING	outdoor / wet-location

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS

SIZE	PACK SIZE
S, M, L	Single, 2-Pack, 4-Pack, 6-Pack, 8-Pack

KEY FEATURES

- **Rustic Roman design.** arched crown with a cast cross-and-scroll motif and a turned finial.
- **Oil-rubbed bronze.** hand-finished, weather-tough frame with gold highlights.
- **Lantern height.** approx. 20 in; width approx. 9 in (size M)
- **Seeded water glass.** rippled, bubbled panels that scatter a warm, inviting light.
- Waterproof LED, chain hung — all-weather rated for covered porches and entryways.

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES

SIZE	HEIGHT
Size M	Approx. 20 in tall

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo	
FIXTURE Kesler · Outdoor Lighting	
DRAWING NO. TX-OL-14592-D1	VIEW Front elevation
SCALE Not to scale	UNITS in / cm
ISSUED 7 Oct 2026	REVISION A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Kesler currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

SIZE	PACK SIZE	CATALOGUE NO.
S	Single	TX-OL-14592-01
M	Single	TX-OL-14592-02
L	Single	TX-OL-14592-03
S	2-Pack	TX-OL-14592-04
M	2-Pack	TX-OL-14592-05
L	2-Pack	TX-OL-14592-06
S	4-Pack	TX-OL-14592-07
M	4-Pack	TX-OL-14592-08
L	4-Pack	TX-OL-14592-09
S	6-Pack	TX-OL-14592-10
M	6-Pack	TX-OL-14592-11
L	6-Pack	TX-OL-14592-12
S	8-Pack	TX-OL-14592-13
M	8-Pack	TX-OL-14592-14
L	8-Pack	TX-OL-14592-15

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

Covered by the Tiixo limited warranty. Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

Installation

ELECTRICAL

LIGHT SOURCE	Integrated waterproof warm-white LED
RATING	Outdoor / wet-location rated, waterproof
INSTALLATION	chain hung, adjustable drop

POWER

Power connection varies by configuration. Confirm the supply type with us before installing, and use a GFCI-protected outdoor circuit or outlet for any mains connection.

BEFORE YOU INSTALL

- ☐ Power supply type confirmed with Tiixo
- ☐ GFCI protection for outdoor mains connections
- ☐ Connections kept off the ground and out of standing water

PLACEMENT GUIDELINES

PORCH HEIGHT

Hang the bottom of the fixture at least 7 ft (213 cm) above the floor or deck.

PROPORTION

On a porch, choose a fixture about one-third the width of the porch ceiling bay.

WEATHER

Use a weather-rated outdoor box and keep the canopy sealed against rain.

Safety. Use only outdoor-rated connections. If any hardwiring is required, have it done by a licensed electrician following local codes.

Questions before or during install?

Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.