

CEILING FAN

Lotus

Lotus Bloom Ceiling Fan Light



SPECIFICATIONS

PRODUCT TYPE	Ceiling Fan
WIDTH	Ø 36 – 52 in / 91 – 132 cm (by size)
HEIGHT	11.8 in / 30 cm
MATERIAL	Wood-effect blades & metal
FINISH	Walnut Wood & Black & White
LIGHT SOURCE	Integrated LED, warm, dimmable
INSTALLATION	Hardwired

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS


SIZE	COLOUR
8 options, listed under Ordering information	Walnut Wood & Black & White
KELVIN RANGE	
Warm Light	

KEY FEATURES

- Fan + light in one — real airflow with a warm, dimmable glow
- **Dimmable warm light.** set the mood without a separate fixture
- **Bedroom to living room.** comfortable airflow all year round
- **Sculpted wood-tone blades.** a petal-like, design-forward silhouette
- Quiet, modern presence — looks like decor, not hardware

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES

SIZE	WIDTH	HEIGHT
Standard	$\varnothing 36 - 52\text{ in} / 91 - 132\text{ cm}$	11.8 in / 30 cm

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo	
FIXTURE Lotus · Ceiling Fan	
DRAWING NO. TX-CF-24128-D1	VIEW Front elevation
SCALE Not to scale	UNITS in / cm
ISSUED 7 Oct 2026	REVISION A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Lotus currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

SIZE	COLOUR	KELVIN RANGE	CATALOGUE NO.
Model A ø 36" x H 11.8" (Suspension Rod Model)	Walnut Wood & Black & White	Warm Light	TX-CF-24128-01
Model A ø 42" x H 11.8" (Suspension Rod Model)	Walnut Wood & Black & White	Warm Light	TX-CF-24128-02
Model A ø 48" x H 11.8" (Suspension Rod Model)	Walnut Wood & Black & White	Warm Light	TX-CF-24128-03
Model A ø 52" x H 11.8" (Suspension Rod Model)	Walnut Wood & Black & White	Warm Light	TX-CF-24128-04
Model B ø 36" x H 15.7" (Ceiling-Mount Model)	Walnut Wood & Black & White	Warm Light	TX-CF-24128-05
Model B ø 42" x H 15.7" (Ceiling-Mount Model)	Walnut Wood & Black & White	Warm Light	TX-CF-24128-06
Model B ø 48" x H 15.7" (Ceiling-Mount Model)	Walnut Wood & Black & White	Warm Light	TX-CF-24128-07
Model B ø 52" x H 15.7" (Ceiling-Mount Model)	Walnut Wood & Black & White	Warm Light	TX-CF-24128-08

FROM THE PRODUCT LISTING

Every Tiixo piece is chosen for considered, modern design and a warm, editorial feel — lighting made to be lived with, not just looked at. The Lotus layers beautifully with the rest of the Tiixo collection so you can build a whole room from one place.

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

Covered by the Tiixo limited warranty. Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

For your electrician

ELECTRICAL

LIGHT SOURCE	Integrated LED, warm, dimmable
INSTALLATION	Hardwired

WIRING (GENERAL GUIDANCE)

FIXTURE WIRE	CONNECT TO
● Black (or ribbed)	Line / hot
○ White (or smooth)	Neutral
● Green / bare copper	Ground
● Blue (if present)	Light kit switch leg

1. Turn power off at the breaker and confirm it is off with a non-contact tester.
2. Fix the fan bracket to a ceiling box marked 'acceptable for fan support', using the hardware supplied.
3. Make the connections above with approved connectors and fold the wires neatly into the box.
4. Fit the canopy, restore power and test. The LED is built in, so there are no bulbs to fit.

BEFORE YOU INSTALL

- ☐ A fan-rated ceiling box (marked acceptable for fan support)
- ☐ At least 7 ft from floor to blades
- ☐ Supply voltage confirmed for your region
- ☐ A wall control or remote as listed
- ☐ Power off at the breaker before any work begins

PLACEMENT GUIDELINES

HEIGHT
Blades at least 7 ft (84 in / 213 cm) above the floor; 8–9 ft is ideal. Use a downrod on ceilings over 9 ft.

CLEARANCE
Keep the blade tips at least 18 in (46 cm) from walls and sloped ceilings.

BLADE SPAN
Rooms up to 75 sq ft: 29–36 in · up to 144 sq ft: 36–42 in · up to 225 sq ft: 44–50 in · up to 400 sq ft: 50–54 in.

Safety. Turn off power at the breaker before installing. Installation must follow local electrical codes (the NEC in the US). We recommend a licensed electrician for every hardwired fixture. Never exceed the rated wattage.

Questions before or during install?
Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.