


OUTDOOR LIGHTING

Luminara

Marble-panel LED wall sconce, matte black, H 50–100 cm

A tall panel of marbled light framed in matte black — mount a pair to frame a door or run a facade.



OPTIONS

SIZE	LIGHT COLOR
H 50 cm, H 70 cm, H 100 cm	Warm white, Cool white


SPECIFICATIONS

PRODUCT TYPE	Outdoor Lighting
WIDTH	16 / 16 / 20 cm
HEIGHT	50, 70 · 100 cm options
EXTENSION FROM WALL	12 / 12 / 14 cm
MATERIALS & FINISH	Powder-coated aluminium, marble-effect diffuser
DIFFUSER	Marble-effect acrylic
LIGHT SOURCE	Integrated LED, 12 W · 800 lumens
COLOR TEMPERATURE	Warm or cool white
DIMMING	Yes
VOLTAGE	100–240 V
WEATHER RATING	IP65
INSTALLATION	Hardwired, exterior wall
WARRANTY	Two years, included
IN THE BOX	Approx. 60 × 26 × 22 cm (H 50) · 80 × 26 × 22 cm (H 70) · 110 × 30 × 24 cm (H 100)

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES			
SIZE	WIDTH	HEIGHT	EXTENSION FROM WALL
Option 1	16 / 16 / 20 cm	50, 70	12 / 12 / 14 cm
Option 2	16 / 16 / 20 cm	100 cm options	12 / 12 / 14 cm

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo	
FIXTURE Luminara · Outdoor Lighting	
DRAWING NO. TX-OW-45952-D1	VIEW Front elevation
SCALE Not to scale	UNITS in / cm
ISSUED 7 Oct 2026	REVISION A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Luminara currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

SIZE	LIGHT COLOR	CATALOGUE NO.
H 50 cm	Warm white	TX-OW-45952-01
H 50 cm	Cool white	TX-OW-45952-02
H 70 cm	Warm white	TX-OW-45952-03
H 70 cm	Cool white	TX-OW-45952-04
H 100 cm	Warm white	TX-OW-45952-05
H 100 cm	Cool white	TX-OW-45952-06

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

Two years, included Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

PACKAGING

Approx. 60 × 26 × 22 cm (H 50) · 80 × 26 × 22 cm (H 70) · 110 × 30 × 24 cm (H 100)

For your electrician

ELECTRICAL

SUPPLY VOLTAGE	100–240 V
LIGHT SOURCE	Integrated LED, 12 W · 800 lumens
COLOR TEMPERATURE	Warm or cool white
DIMMING	Yes
RATING	IP65
INSTALLATION	Hardwired, exterior wall

WIRING (GENERAL GUIDANCE)

FIXTURE WIRE	CONNECT TO
● Black (or ribbed)	Line / hot
○ White (or smooth)	Neutral
● Green / bare copper	Ground

1. Turn power off at the breaker and confirm it is off with a non-contact tester.
2. Fix the mounting bracket to a recessed wall junction box rated for the fixture's weight, using the hardware supplied.
3. Make the connections above with approved connectors and fold the wires neatly into the box.
4. Fit the backplate, restore power and test. The LED is built in, so there are no bulbs to fit.

BEFORE YOU INSTALL

- ☐ A recessed wall junction box at the planned mounting height
- ☐ Supply voltage confirmed for your region
- ☐ Wall surface flat and able to carry the fixture's weight
- ☐ A dimmer, if used, rated for the light source
- ☐ Power off at the breaker before any work begins

PLACEMENT GUIDELINES

BESIDE A DOOR

Fixture about ¼–⅓ the height of the door; centre around 66 in (168 cm) above the threshold.

SPACING

Along a wall or path, space fixtures every 8–10 ft (2.4–3 m).

WEATHER

Mount to a weather-rated outdoor box and seal the backplate as your local code requires.

Safety. Turn off power at the breaker before installing. Installation must follow local electrical codes (the NEC in the US). We recommend a licensed electrician for every hardwired fixture. Never exceed the rated wattage.

Questions before or during install?

Call or text (813) 790-7240 · support@tiix.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.