

FLUSH MOUNT CEILING LIGHTS

# Marguerite

Frosted glass flower flush mount ceiling light

*Scalloped frosted glass petals in a fine brass frame, a soft flower of light that sits close to the ceiling.*



SPECIFICATIONS

|                    |                                                                                            |
|--------------------|--------------------------------------------------------------------------------------------|
| PRODUCT TYPE       | Flush Mount Ceiling Lights                                                                 |
| WIDTH              | Ø 13.8 in / 35 cm (3 lights) · Ø 17.7 in / 45 cm (4 lights) · Ø 23.6 in / 60 cm (6 lights) |
| HEIGHT             | 6.1 in / 15.5 cm (3 lights) · 7.1 in / 18 cm (4 lights) · 7.9 in / 20 cm (6 lights)        |
| MATERIALS & FINISH | Brass frame with frosted white glass petals                                                |
| LIGHT SOURCE       | E26/E27 bulbs, one per light (not included)                                                |
| COLOR TEMPERATURE  | Warm 2200–3000K recommended                                                                |
| VOLTAGE            | AC 110–240V                                                                                |
| INSTALLATION       | Hardwired flush ceiling mount; licensed electrician recommended                            |
| RATING             | IP20, indoor dry locations only                                                            |

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS


SIZE  
3 lights · Ø 13.8 in, 4 lights · Ø 17.7 in, 6 lights · Ø 23.6 in

KEY FEATURES

- **Frosted glass petals.** soft, even light with a gentle glow
- **Three sizes.** Ø 13.8 in, 17.7 in or 23.6 in
- **Standard bulbs.** E26 sockets for LED or Edison-style bulbs
- **Brass frame.** a warm gold finish that suits classic and modern rooms
- **Close to the ceiling.** just 6.1 to 7.9 in deep
- **Bulbs.** E26/E27 base, one per light (not included); warm 2200–3000K recommended

|         |                    |          |                |
|---------|--------------------|----------|----------------|
| PROJECT | FIXTURE TYPE / TAG | LOCATION | QTY · APPROVED |
|---------|--------------------|----------|----------------|

Dimensions



FRONT ELEVATION · NOT TO SCALE · FIRST LISTED SIZE SHOWN

AVAILABLE SIZES

| SIZE                 | WIDTH                        | HEIGHT                      |
|----------------------|------------------------------|-----------------------------|
| 3 lights · Ø 13.8 in | Ø 13.8 in / 35 cm (3 lights) | 6.1 in / 15.5 cm (3 lights) |
| 4 lights · Ø 17.7 in | Ø 17.7 in / 45 cm (4 lights) | 7.1 in / 18 cm (4 lights)   |
| 6 lights · Ø 23.6 in | Ø 23.6 in / 60 cm (6 lights) | 7.9 in / 20 cm (6 lights)   |

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixø

FIXTURE  
Marguerite · Flush Mount Ceiling Lights

DRAWING NO.  
TX-CL-03680-D1

VIEW  
Front elevation

SCALE  
Not to scale

UNITS  
in / cm

ISSUED  
13 Oct 2026

REVISION  
A

## Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Marguerite currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

### CONFIGURATIONS

| SIZE                 | CATALOGUE NO.  |
|----------------------|----------------|
| 3 lights · Ø 13.8 in | TX-CL-03680-01 |
| 4 lights · Ø 17.7 in | TX-CL-03680-02 |
| 6 lights · Ø 23.6 in | TX-CL-03680-03 |

### CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

### WARRANTY & RETURNS

Covered by the Tiixo limited warranty. Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

For your electrician

ELECTRICAL

|                   |                                                                 |
|-------------------|-----------------------------------------------------------------|
| SUPPLY VOLTAGE    | AC 110–240V                                                     |
| LIGHT SOURCE      | E26/E27 bulbs, one per light (not included)                     |
| COLOR TEMPERATURE | Warm 2200–3000K recommended                                     |
| RATING            | IP20, indoor dry locations only                                 |
| INSTALLATION      | Hardwired flush ceiling mount; licensed electrician recommended |

WIRING (GENERAL GUIDANCE)

| FIXTURE WIRE          | CONNECT TO |
|-----------------------|------------|
| ● Black (or ribbed)   | Line / hot |
| ○ White (or smooth)   | Neutral    |
| ● Green / bare copper | Ground     |

1. Turn power off at the breaker and confirm it is off with a non-contact tester.
2. Fix the mounting bracket to a ceiling junction box rated for the fixture's weight, using the hardware supplied.
3. Make the connections above with approved connectors and fold the wires neatly into the box.
4. Fit the canopy, install bulbs within the rated wattage, restore power and test.

BEFORE YOU INSTALL

- ☐ A ceiling junction box rated for the fixture's weight
- ☐ Supply voltage confirmed for your region
- ☐ Ceiling height measured, so the fixture clears walkways
- ☐ A dimmer, if used, rated for the light source
- ☐ A second person or a stable ladder for lifting the fixture
- ☐ Power off at the breaker before any work begins

PLACEMENT GUIDELINES

**ROOM SIZE**  
Add the room's length and width in feet; that number in inches is a good fixture diameter.

**CLEARANCE**  
Keep at least 84 in (7 ft / 213 cm) from the floor to the bottom of the fixture in walkways.

**OVER A TABLE**  
Choose a fixture about one-half to two-thirds of the table width; a flush or semi-flush mount suits ceilings under 8–9 ft.

**Safety.** Turn off power at the breaker before installing. Installation must follow local electrical codes (the NEC in the US). We recommend a licensed electrician for every hardwired fixture. Never exceed the rated wattage.

**Questions before or during install?**  
Call or text (813) 790-7240 · support@tiixo.com  
9am – 5pm Eastern, seven days. We reply within 12 hours.  
**Returns.** 30 days from delivery, no restocking fee.