

OUTDOOR LIGHTING

Noa

Weatherproof rustic outdoor lantern pendant

An ornate water-glass lantern that casts warm farmhouse glow over the porch.



SPECIFICATIONS

PRODUCT TYPE	Outdoor Lighting
WIDTH	Ø 8.66 / 9.84 / 14.96 in
HEIGHT	3 sizes — 18.11 / 20.87 / 27.56 in tall
MATERIALS & FINISH	Cast-metal frame with rippled water-glass
LIGHT SOURCE	E26 socket, warm-white bulb recommended
COLOR TEMPERATURE	Warm white recommended
WEATHER RATING	Weatherproof — covered outdoor use
INSTALLATION	Chain-hung ceiling pendant
WARRANTY	1-year limited warranty
IN THE BOX	Arrives with chain, canopy and mounting hardware
FINISHES	Black, Bronze
RATING	weatherproof — covered outdoor use

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS

FINISH	SIZE
Black, Bronze	8.66"Dx18.11"H, 9.84"Dx20.87"H, 14.96"Dx27.56"H


PACK SIZE
Single, 2-Pack, 4-Pack, 6-Pack, 8-Pack

KEY FEATURES

- Ornate cast-metal frame. scrollwork and leaf detailing in a classic farmhouse-lantern silhouette
- Two finishes. aged Black or oil-rubbed Bronze to suit your exterior
- Weatherproof. made for covered porches, patios, entries and gazebos
- Rippled water-glass. textured clear glass diffuses a warm, welcoming glow
- Three sizes. from a compact porch light to a grand statement lantern
- Chain-hung pendant. hangs from an adjustable chain, warm-bulb ready

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES

SIZE	WIDTH	HEIGHT
Standard	Ø 8.66 / 9.84 / 14.96 in	3 sizes — 18.11 / 20.87 / 27.56 in tall

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo

FIXTURE Noa · Outdoor Lighting	
DRAWING NO. TX-OL-94304-D1	VIEW Front elevation
SCALE Not to scale	UNITS in / cm
ISSUED 7 Oct 2026	REVISION A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Noa currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

FINISH	SIZE	PACK SIZE	CATALOGUE NO.
Black	8.66"Dx18.11"H	Single	TX-OL-94304-01
Bronze	8.66"Dx18.11"H	Single	TX-OL-94304-02
Black	9.84"Dx20.87"H	Single	TX-OL-94304-03
Bronze	9.84"Dx20.87"H	Single	TX-OL-94304-04
Black	14.96"Dx27.56"H	Single	TX-OL-94304-05
Bronze	14.96"Dx27.56"H	Single	TX-OL-94304-06
Black	8.66"Dx18.11"H	2-Pack	TX-OL-94304-07
Bronze	8.66"Dx18.11"H	2-Pack	TX-OL-94304-08
Black	9.84"Dx20.87"H	2-Pack	TX-OL-94304-09
Bronze	9.84"Dx20.87"H	2-Pack	TX-OL-94304-10
Black	14.96"Dx27.56"H	2-Pack	TX-OL-94304-11
Bronze	14.96"Dx27.56"H	2-Pack	TX-OL-94304-12
Black	8.66"Dx18.11"H	4-Pack	TX-OL-94304-13
Bronze	8.66"Dx18.11"H	4-Pack	TX-OL-94304-14
Black	9.84"Dx20.87"H	4-Pack	TX-OL-94304-15
Bronze	9.84"Dx20.87"H	4-Pack	TX-OL-94304-16
Black	14.96"Dx27.56"H	4-Pack	TX-OL-94304-17
Bronze	14.96"Dx27.56"H	4-Pack	TX-OL-94304-18
Black	8.66"Dx18.11"H	6-Pack	TX-OL-94304-19
Bronze	8.66"Dx18.11"H	6-Pack	TX-OL-94304-20
Black	9.84"Dx20.87"H	6-Pack	TX-OL-94304-21
Bronze	9.84"Dx20.87"H	6-Pack	TX-OL-94304-22
Black	14.96"Dx27.56"H	6-Pack	TX-OL-94304-23
Bronze	14.96"Dx27.56"H	6-Pack	TX-OL-94304-24
Black	8.66"Dx18.11"H	8-Pack	TX-OL-94304-25
Bronze	8.66"Dx18.11"H	8-Pack	TX-OL-94304-26
Black	9.84"Dx20.87"H	8-Pack	TX-OL-94304-27
Bronze	9.84"Dx20.87"H	8-Pack	TX-OL-94304-28
Black	14.96"Dx27.56"H	8-Pack	TX-OL-94304-29
Bronze	14.96"Dx27.56"H	8-Pack	TX-OL-94304-30

Installation

ELECTRICAL

LIGHT SOURCE	E26 socket, warm-white bulb recommended
COLOR TEMPERATURE	Warm white recommended
RATING	Weatherproof — covered outdoor use
INSTALLATION	Chain-hung ceiling pendant

POWER

Power connection varies by configuration. Confirm the supply type with us before installing, and use a GFCI-protected outdoor circuit or outlet for any mains connection.

BEFORE YOU INSTALL

- ☐ Power supply type confirmed with Tiixο
- ☐ GFCI protection for outdoor mains connections
- ☐ Connections kept off the ground and out of standing water

PLACEMENT GUIDELINES

- PORCH HEIGHT**
Hang the bottom of the fixture at least 7 ft (213 cm) above the floor or deck.
- PROPORTION**
On a porch, choose a fixture about one-third the width of the porch ceiling bay.
- WEATHER**
Use a weather-rated outdoor box and keep the canopy sealed against rain.

Safety. Use only outdoor-rated connections. If any hardwiring is required, have it done by a licensed electrician following local codes.

Questions before or during install?
Call or text (813) 790-7240 · support@tiixο.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.