

VANITY LIGHT BAR

Orla

Asymmetric LED Vanity Light — Black or Gold, 3 Color Temps

Sculptural staggered LED vanity bar with adjustable color temperature



SPECIFICATIONS

PRODUCT TYPE	Vanity Light Bar
WIDTH	18.9 – 25.6 in / 48 – 65 cm (by size)

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS


COLOR	HEIGHT
Black, Gold	18.9", 25.6"
STYLE	
Left, Right	

KEY FEATURES

- Adjustable light, any mood: Switch between 3000K warm, 4500K neutral and 6000K daylight to suit makeup, grooming or...
- Two finishes, two sizes: Matte black or reflective gold in 18.9 in or 25.6 in widths, with left or right orientation.
- Integrated LED, ready to mount: An energy-efficient LED is included and wires to a standard wall switch.
- Sculptural asymmetric design.** A staggered dual-tube layout creates a distinctive light-and-shadow effect that doubles as wall decor.
- Flattering, even glow: White acrylic shades diffuse the light softly with minimal glare, covering roughly 54 to 129 sq...

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



FRONT ELEVATION · NOT TO SCALE

AVAILABLE SIZES

SIZE	WIDTH
By size	18.9 – 25.6 in / 48 – 65 cm

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo	
FIXTURE Orla · Vanity Light Bar	
DRAWING NO. TX-VB-96576-D1	VIEW Front elevation
SCALE Not to scale	UNITS in / cm
ISSUED 7 Oct 2026	REVISION A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Orla currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

COLOR	HEIGHT	STYLE	CATALOGUE NO.
Black	18.9"	Left	TX-VB-96576-01
Black	18.9"	Right	TX-VB-96576-02
Black	25.6"	Left	TX-VB-96576-03
Black	25.6"	Right	TX-VB-96576-04
Gold	18.9"	Left	TX-VB-96576-05
Gold	18.9"	Right	TX-VB-96576-06
Gold	25.6"	Left	TX-VB-96576-07
Gold	25.6"	Right	TX-VB-96576-08

FROM THE PRODUCT LISTING

Two widths help you match your mirror or vanity. The 18.9 in bar suits standard single vanities and smaller mirrors, while the 25.6 in bar spans wider doubles and statement mirrors. Choose left or right orientation so the longer tube sits where you want the most light. It mounts horizontally or vertically, above or beside a mirror.

Built from an iron frame with white acrylic shades for lasting durability. It runs on 110V with wall-switch control and wall-mount hardware. Wipe clean with a soft, dry cloth and avoid liquid cleaners or abrasive pads. Measurements and specifications are approximate and provided by the manufacturer.

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

Covered by the Tiixo limited warranty. Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

For your electrician

ELECTRICAL

WIRING (GENERAL GUIDANCE)

FIXTURE WIRE	CONNECT TO
● Black (or ribbed)	Line / hot
○ White (or smooth)	Neutral
● Green / bare copper	Ground

1. Turn power off at the breaker and confirm it is off with a non-contact tester.
2. Fix the mounting bracket to a recessed wall junction box rated for the fixture's weight, using the hardware supplied.
3. Make the connections above with approved connectors and fold the wires neatly into the box.
4. Fit the backplate, restore power and test. The LED is built in, so there are no bulbs to fit.

BEFORE YOU INSTALL

- ☐ A recessed wall junction box at the planned mounting height
- ☐ Supply voltage confirmed for your region
- ☐ Wall surface flat and able to carry the fixture's weight
- ☐ A dimmer, if used, rated for the light source
- ☐ Power off at the breaker before any work begins

PLACEMENT GUIDELINES

ABOVE A MIRROR
Centre the fixture about 75–80 in (190–203 cm) above the finished floor, just above the top of the mirror.

WIDTH
Choose a fixture roughly 75% of the mirror width, never wider than the vanity.

BATHROOMS
Suitable for damp locations only where rated; keep clear of direct water spray.

Safety. Turn off power at the breaker before installing. Installation must follow local electrical codes (the NEC in the US). We recommend a licensed electrician for every hardwired fixture. Never exceed the rated wattage.

Questions before or during install?
Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.