PENDANT LIGHTS

Selva

SPECIFICATIONS

PRODUCT TYPE	Pendant Lights
HEIGHT	15 in / 38 cm
MATERIAL	Glass and Metal
COLOR	Clear and Gold
BULB BASE	E26
MAX WATTAGE	60W
INSTALLATION	Suitable for sloped ceilings
WEIGHT	Lightweight for easy installation
STYLE	Modern and Elegant

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

KEY FEATURES

- Requires 1 x E26 Base Bulb (Max. 60W per bulb, bulb not included): Ideal for customizable lighting.
- **Adjustable chain.** Tailor the drop to fit various ceiling heights.
- **Versatile installation.** Suitable for dining tables, kitchen islands, or entryways.
- Compatible with dimmer switches and dimmable bulbs (not included): Perfect for creating the desired ambiance.
- **Golden-finished canopy.** Adds a touch of luxury to any space.
- **Product Type.** Pendant Light

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED

Dimensions



FRONT ELEVATION · NOT TO SCALE

AVAILABLE SIZES

SIZE	HEIGHT
Standard	15 in / 38 cm

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo	
FIXTURE Selva · Pendant Lights	
DRAWING NO. TX-PD-95680-D1	VIEW Front elevation
SCALE Not to scale	UNITS in / cm
ISSUED 7 Oct 2026	REVISION A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Selva currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

CONFIGURATION	CATALOGUE NO.
Standard	TX–PD–95680–01

CARE & MAINTENANCE

Switch off and let the fixture cool. Dust with a soft, dry cloth; no solvents or abrasive cleaners.

WARRANTY & RETURNS

Covered by the Tiixo limited warranty. Returns accepted within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged, send a photo within 7 days and we ship a replacement first.

For your electrician

ELECTRICAL

BULB BASE	E26
MAX WATTAGE	60W
INSTALLATION	Suitable for sloped ceilings

WIRING (GENERAL GUIDANCE)

FIXTURE WIRE	CONNECT TO
● Black (or ribbed)	Line / hot
○ White (or smooth)	Neutral
● Green / bare copper	Ground

1. Turn power off at the breaker and confirm it is off with a non-contact tester.
2. Fix the mounting bracket to a ceiling junction box rated for the fixture's weight, using the hardware supplied.
3. Make the connections above with approved connectors and fold the wires neatly into the box.
4. Fit the canopy, install bulbs within the rated wattage, restore power and test.

BEFORE YOU INSTALL

- [ ] A ceiling junction box rated for the fixture's weight
- [ ] Supply voltage confirmed for your region
- [ ] Ceiling height measured, so the fixture clears walkways
- [ ] A dimmer, if used, rated for the light source
- [ ] A second person or a stable ladder for lifting the fixture
- [ ] Power off at the breaker before any work begins

PLACEMENT GUIDELINES

OVER A TABLE

Hang the bottom of the fixture 30–36 in (76–91 cm) above the tabletop; choose a width about one-half to two-thirds of the table.

OVER AN ISLAND

Space multiple pendants 24–30 in (61–76 cm) apart, 30–36 in above the counter.

OPEN AREAS

In halls and living spaces keep at least 84 in (7 ft / 213 cm) clear underneath; add about 3 in of drop per foot of ceiling above 8 ft.

> **Safety.** Turn off power at the breaker before installing. Installation must follow local electrical codes (the NEC in the US). We recommend a licensed electrician for every hardwired fixture. Never exceed the rated wattage.

Questions before or during install?
Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.