

PATHWAY LIGHTS

Tove



SPECIFICATIONS

PRODUCT TYPE	Pathway Lights
HEIGHT	15.75 / 23.62 / 31.5 in options
LIGHT SOURCE	Warm LED
WEATHER RATING	Waterproof
INSTALLATION	Garden pillar / post

Dimensions are approximate (±0.4 in / 1 cm). Natural and hand-finished materials vary slightly from piece to piece.

OPTIONS


TYPE	SIZE
Wide Reeded Lampshade,	15.75 "H, 23.62 "H, 31.5 "H
Fine Reeded Lampshade	
PACK SIZE	
Single, 2-Pack, 4-Pack, 6-Pack, 8-Pack	

KEY FEATURES

- **Lighting Type.** Modern LED garden pillar light for lawns, paths, patios, and landscape areas
- **Design Options.** Available with wide reeded or fine reeded lampshade styles
- **Weather Ready.** Waterproof outdoor construction designed for exterior lighting applications
- **Pack Options.** Choose from single, 2-pack, 4-pack, 6-pack, or 8-pack configurations
- **Ideal For.** Pathway lighting, garden borders, lawn accents, driveway edges, patios, courtyards, and modern landscape design

PROJECT	FIXTURE TYPE / TAG	LOCATION	QTY · APPROVED
---------	--------------------	----------	----------------

Dimensions



AVAILABLE SIZES

SIZE	HEIGHT
Standard	15.75 / 23.62 / 31.5 in options

Overall dimensions of the fixture. Allow clearance around the fixture as described on page 4.

Tiixo	
FIXTURE Tove · Pathway Lights	
DRAWING NO. TX-OL-58688-D1	VIEW Front elevation
SCALE Not to scale	UNITS in / cm
ISSUED 7 Oct 2026	REVISION A

Ordering information

Catalogue numbers are Tiixo reference numbers. Every configuration of Tove currently offered, with its catalogue number. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

TYPE	SIZE	PACK SIZE	CATALOGUE NO.
Wide Reeded Lampshade	15.75 "H	Single	TX-OL-58688-01
Wide Reeded Lampshade	23.62 "H	Single	TX-OL-58688-02
Wide Reeded Lampshade	31.5 "H	Single	TX-OL-58688-03
Fine Reeded Lampshade	15.75 "H	Single	TX-OL-58688-04
Fine Reeded Lampshade	23.62 "H	Single	TX-OL-58688-05
Fine Reeded Lampshade	31.5 "H	Single	TX-OL-58688-06
Wide Reeded Lampshade	15.75 "H	2-Pack	TX-OL-58688-07
Wide Reeded Lampshade	23.62 "H	2-Pack	TX-OL-58688-08
Wide Reeded Lampshade	31.5 "H	2-Pack	TX-OL-58688-09
Fine Reeded Lampshade	15.75 "H	2-Pack	TX-OL-58688-10
Fine Reeded Lampshade	23.62 "H	2-Pack	TX-OL-58688-11
Fine Reeded Lampshade	31.5 "H	2-Pack	TX-OL-58688-12
Wide Reeded Lampshade	15.75 "H	4-Pack	TX-OL-58688-13
Wide Reeded Lampshade	23.62 "H	4-Pack	TX-OL-58688-14
Wide Reeded Lampshade	31.5 "H	4-Pack	TX-OL-58688-15
Fine Reeded Lampshade	15.75 "H	4-Pack	TX-OL-58688-16
Fine Reeded Lampshade	23.62 "H	4-Pack	TX-OL-58688-17
Fine Reeded Lampshade	31.5 "H	4-Pack	TX-OL-58688-18
Wide Reeded Lampshade	15.75 "H	6-Pack	TX-OL-58688-19
Wide Reeded Lampshade	23.62 "H	6-Pack	TX-OL-58688-20
Wide Reeded Lampshade	31.5 "H	6-Pack	TX-OL-58688-21
Fine Reeded Lampshade	15.75 "H	6-Pack	TX-OL-58688-22
Fine Reeded Lampshade	23.62 "H	6-Pack	TX-OL-58688-23
Fine Reeded Lampshade	31.5 "H	6-Pack	TX-OL-58688-24
Wide Reeded Lampshade	15.75 "H	8-Pack	TX-OL-58688-25
Wide Reeded Lampshade	23.62 "H	8-Pack	TX-OL-58688-26
Wide Reeded Lampshade	31.5 "H	8-Pack	TX-OL-58688-27
Fine Reeded Lampshade	15.75 "H	8-Pack	TX-OL-58688-28
Fine Reeded Lampshade	23.62 "H	8-Pack	TX-OL-58688-29
Fine Reeded Lampshade	31.5 "H	8-Pack	TX-OL-58688-30

Installation

ELECTRICAL

LIGHT SOURCE	Warm LED
RATING	Waterproof
INSTALLATION	Garden pillar / post

POWER

Power connection varies by configuration. Confirm the supply type with us before installing, and use a GFCI-protected outdoor circuit or outlet for any mains connection.

BEFORE YOU INSTALL

- ☐ Power supply type confirmed with Tiixo
- ☐ GFCI protection for outdoor mains connections
- ☐ Connections kept off the ground and out of standing water

PLACEMENT GUIDELINES

SPACING

Space path lights every 6–8 ft (1.8–2.4 m), staggered on both sides for a natural rhythm.

SETBACK

Set them 6–12 in (15–30 cm) back from the edge of the path or bed.

AIMING

Aim spotlights from the ground up into foliage or walls, away from neighbours' windows.

Safety. Use only outdoor-rated connections. If any hardwiring is required, have it done by a licensed electrician following local codes.

Questions before or during install?

Call or text (813) 790-7240 · support@tiixo.com
9am – 5pm Eastern, seven days. We reply within 12 hours.
Returns. 30 days from delivery, no restocking fee.